CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DELFORCE RESIDUAL INSECTICIDE

ACTIVE CONSTITUENT: 10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For the control cockroaches, fleas, spiders, ants, silverfish and of a range other insects in various situations as per the Directions for Use Table

CONTENTS: 250mL, 500mL



Sherwood Chemicals Australasia Pty Ltd Level 3, 1060 Hay St WEST PERTH 6005 AUSTRALIA Tel: +61 89219 4683 Fax: +61 89219 4672

APVMA APPROVAL NO: 63941/0409

DelForce Residual Insecticide – February 2009

(SEE INSIDE FOR DIRECTIONS FOR USE)

PROTECTION OF WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the product or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Do not contaminate seed, feed or foodstuff. Rinse containers before disposal. Add rinsings to spray tank.

Dispose of at a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. After use and before eating drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (PHONE: 131126).

MATERIAL SAFETY DATA SHEET

For additional information refer to the Material Safety Data Sheet (MSDS) which is available from the supplier.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of SHERWOOD Chemicals or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of SHERWOOD Chemicals or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of **SHERWOOD Chemicals**

APVMA APPROVAL NO:

BATCH NO: DATE OF MANUFACTURE:

DelForce Residual Insecticide – February 2009

250mL, 500mL packs – inside fold out leaflet

DIRECTIONS FOR USE: RESTRAINT: DO NOT apply spray treatment outdoors if rain is imminent.							
SITUATION	PEST	STATE	RATE	CRITICAL COMMENTS			
Domestic, commercial, industrial and public buildings	Cockroaches, fleas, spiders, ants, silverfish Carpet beetles and clothes moths Bird mites, Bed bugs	All States and ACT NSW, Qld, SA, WA, Tas, ACT, NT only	Initial treatment 150mL Maintenance treatments 75mL	On non porous surfaces dilute with 5L of water and apply as a coarse spray at a rate of 5L per 100m ₂ not exceeding the point of run off.			
	Mosquitoes Houseflies	Qld, SÅ, WA, Tas, NT only NSW, ACT, Qld, SA, WA, Tas, NT only	75mL	On porous surfaces or use through power equipment, dilute with 10L of water and apply per 100m ₂ of surface, not exceeding the point of run-off.			
Widflowers for export	Quarantine pests	WA only	250mL per 100L water	Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours.			
For short term protection of freshly felled pine logs prior to debarking	Five-spined bark beetle (<i>Ips</i> grandicollis)	All States	100mL	Dilute with 10L of water and apply through a knapsack or power sprayer at the rate of 10L per 100m ₂ of surface area. NB – for best results apply promptly after felling or sawing operations.			
For short term protection of freshly felled pine logs, poles, posts and sawn timber including <i>in situ</i> timbers	Beetle family Anobiidae, Beetle family Bostrychidae, Beetle family Lyctidae	Qld, NSW, Vic, Tas, NT, ACT only					

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

General Instructions

Shake container before use. Periodically agitate suspension during application to ensure thorough mixing.

For best results, form a premix of the required amount of product with and equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly.

Do not store diluted insecticide. Prepare a fresh solution as necessary.

Do not spray the moving parts of any machinery, electric motors or switch gear with the water based product.

DelForce Residual Insecticide – February 2009

 ${\sf DelForce} \ {\rm \ensuremath{\mathbb{B}}} \ {\rm is \ a \ registered \ trademark \ of \ Sherwood \ Chemicals \ Public \ Company \ limited}$

Insecticide Resistance Warning GROUP 3A INSECTICIDE

For insecticide resistance management, DelForce Residual Insecticide is a Group 3A insecticide.

Some naturally-occurring insect biotypes resistant to DelForce Residual Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population.

The resistant individuals can eventually dominate the insect population if DelForce Residual Insecticide or other Group 3A Insecticides are used repeatedly. The effectiveness of DelForce Residual Insecticide on resistant individuals could be significantly reduced.

Since the occurrence of resistant individuals is difficult to detect prior to use, Sherwood Chemicals accepts no liability for any losses that may result from the failure of DelForce Residual Insecticide to control resistant insects.

DelForce Residual Insecticide may be subject to specific resistance management strategies. For further information contact you local supplier, Sherwood Chemicals representative or local agricultural department agronomist.

Precautions

AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED.

BEFORE USE – REMOVE OR COVER ALL EXPOSED FOODSTUFFS. COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED.

AFTER USE – THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.

DelForce Residual Insecticide – February 2009

1L, 2.5L, 5L, 10L, 20L pack label

CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DELFORCE RESIDUAL INSECTICIDE

ACTIVE CONSTITUENT: 10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For the control cockroaches, fleas, spiders, ants, silverfish and of a range other insects in various situations as per the Directions for Use Table

CONTENTS: 1L, 2.5L, 5L, 10L, 20L



Sherwood Chemicals Australasia Pty Ltd Level 3, 1060 Hay St WEST PERTH 6005 AUSTRALIA Tel: + 61 89219 4683 Fax: + 61 89219 4672

DelForce Residual Insecticide – February 2009

DIRECTIONS FOR USE:

RESTRAINT: DO NOT apply spray treatment outdoors if rain is imminent.

SITUATION	PEST	STATE	RATE	CRITICAL
				COMMENTS
Domestic,	Cockroaches,	All States	Initial treatment	On non porous surfaces dilute with
commercial,	fleas, spiders,	and	150mL	5L of water and apply as a coarse
industrial and	ants, silverfish	ACT	Maintononaa	spray at a rate of 5L per 100m ²
public buildings	Carpet beetles	NSW, Qld, SA,	Maintenance treatments	not exceeding the point of run off.
	and clothes moths	WA, Tas,	75mL	
	Bird mites, Bed	ACT,		
	bugs	NT only		
	Mosquitoes	Qld, SA, WA,	75mL	
	mooquitooo	Tas, NT only		On porous surfaces or use through
	Houseflies	NSW, ACT,		power equipment, dilute with 10L of
		Qld,		water and apply per 100m2 of
		SA, WA, Tas,		surface, not exceeding the point of
		NT		run-off.
		only		
Widflowers for	Quarantine	WA only	250mL per	Flowers must be totally submerged
export	pests		100L	in the diluted product for not less
			water	than 1 minute and then left to dry
Eau ala ant tanna	Fine entred		100	naturally for 2 hours.
For short term protection of	Five-spined bark	All States	100mL	Dilute with 10L of water and apply through a knapsack or power
freshly felled	beetle (<i>lps</i>			sprayer at the rate of 10L per
pine	grandicollis)			100m ₂ of surface area. NB – for
logs prior to	grandioomoj			best results apply promptly after
debarking				felling or sawing operations.
For short term	Beetle family	Qld, NSW,		
protection of	Anobiidae,	Vic,		
freshly felled	Beetle family	Tas, NT, ACT		
pine	Bostrychidae,	only		
logs, poles,	Beetle family			
posts	Lyctidae			
and sawn				
timber				
including in situ				
timbers				

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

General Instructions

Shake container before use. Periodically agitate suspension during application to ensure thorough mixing.

For best results, form a premix of the required amount of product with and equal volume of water.

Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly.

DelForce Residual Insecticide – February 2009

Do not store diluted insecticide. Prepare a fresh solution as necessary. Do not spray the moving parts of any machinery, electric motors or switch gear with the water based product.

Insecticide Resistance Warning

GROUP 3A INSECTICIDE

For insecticide resistance management, DelForce Residual Insecticide is a Group 3A insecticide.

Some naturally-occurring insect biotypes resistant to DelForce Residual Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population.

The resistant individuals can eventually dominate the insect population if DelForce Residual Insecticide or other Group 3A Insecticides are used repeatedly. The effectiveness of DelForce Residual Insecticide on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sherwood Chemicals accepts no liability for any losses that may result from the failure of DelForce Residual Insecticide to control resistant insects.

DelForce Residual Insecticide may be subject to specific resistance management strategies. For further information contact you local supplier, Sherwood Chemicals representative or local agricultural department agronomist.

Precautions

AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED.

BEFORE USE – REMOVE OR COVER ALL EXPOSED FOODSTUFFS. COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED.

AFTER USE – THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.

PROTECTION OF WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the product or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Do not contaminate seed, feed or foodstuff. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield. If product on skin, immediately wash area with soap and

water. After use and before eating drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield and contaminated clothing.

DelForce Residual Insecticide – February 2009

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (PHONE: 131126).

MATERIAL SAFETY DATA SHEET

For additional information refer to the Material Safety Data Sheet (MSDS) which is available from the supplier.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of SHERWOOD Chemicals or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of SHERWOOD Chemicals or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of **SHERWOOD Chemicals**

APVMA APPROVAL NO: 63941/0409

BATCH NO: DATE OF MANUFACTURE:

DelForce Residual Insecticide – February 2009