



Product Name: Fipforce Dust Termiticide & Insecticide  
APVMA Approval No: 69588 / 122669

Label Name:	Fipforce Dust Termiticide & Insecticide
-------------	---

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	5 g/kg FIPRONIL
-------------------------	-----------------

Mode of Action:	GROUP 2B INSECTICIDE
-----------------	----------------------

Statement of Claims:	For the control of termites, cockroaches and nuisance ants in situations as specified in the Directions for Use Table
----------------------	---

Net Contents:	100g 10g (2x5g) 15g (3x5g) 20g (4x5g) 30g (6x5g) 5g
---------------	--

Restrains:	
------------	--

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
General Instructions:	<p><b>GENERAL INSTRUCTIONS</b>  Treat as many termites as possible – 100 mL minimum (depending on species, this is equivalent to around 15,000 workers). Treat infested timbers where termites are active. Treat leads as a last resort as these can be used for monitoring activity. Treat as many galleries as possible. Aggregation containers such as bait boxes and bait stations can be useful in increasing the number of termites that can be treated. To optimise colony decline dust termites each time significant activity is found.</p> <p>Cessation of termite activity does not guarantee that a structure is protected from attack by other colonies in the area. Termite dusting is not designed as a stand alone treatment, and should not be used as such. Therefore a continuous chemical treatment such as Fipforce Aqua Termiticide &amp; Insecticide applied to the soil as per Australian Standard 3660.2 should be applied immediately following successful eradication of termite activity in the structure. It is important that a licensed Pest Control Operator carry out regular inspections at least annually.</p>
Resistance Warning:	<p><b>INSECTICIDE RESISTANCE WARNING</b>  <b>GROUP 2B INSECTICIDE</b>  For insecticide resistance management Fipforce Dust is a Group 2B insecticide. Some naturally occurring insect biotypes resistant to Fipforce Dust and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Fipforce Dust or other Group 2B insecticides are used repeatedly. The effectiveness Fipforce Dust on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sherwood Chemicals Australia accepts no liability for any losses that may result from failure of Fipforce Dust to control resistant insects. Fipforce Dust may be subject to specific resistance management strategies. For further information contact your local supplier or Sherwood Chemicals Australia representative.</p>
Precautions:	<p><b>PRECAUTION</b>  Avoid contact with food, food utensils or surfaces that come in contact with food or food utensils. Before use, remove or cover all exposed food, dishes, food utensils and surfaces that come in contact with food or food utensils.  When used in indoor situations, immediately clean up any exposed product that is not within the treated cracks, crevices, harbourages or treatment holes.</p>
Protections:	<p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b>  <b>DO NOT</b> contaminate streams, rivers or waterways with the chemical or used containers.</p>
Storage and Disposal:	<p><b>STORAGE AND DISPOSAL</b>  Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Shake and completely empty contents into dust application equipment. Do not dispose of unused chemicals on-site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p>

Safety Directions:	<b>SAFETY DIRECTIONS</b> May irritate the eyes, nose and throat. Repeated exposure may cause allergic disorders. Avoid contact with eyes. Do NOT inhale dust. When opening the container and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow length PVC gloves and a disposable dust mask. Wash hands after use. After each day's use wash gloves and contaminated clothing.
--------------------	---

First Aid Instructions:	<b>FIRST AID</b> If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

**DIRECTIONS FOR USE****Termites: All States except Tasmania****Cockroaches and Ants: All States**

<b>SITUATION</b>	<b>PEST</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Termite nests in trees, stumps, posts, power poles, timber bridges and wharves, mounds and wall cavities	Subterranean termites including <i>Coptotermes</i> spp., <i>Schedorhinotermes</i> spp., <i>Nasutitermes</i> spp.,	3-5 g dust per nest	Drill several holes into the nest and apply FIPFORCE Dust using a hand puffer or powered equivalent. Monitor nest activity after application at weekly intervals. If there is no decline in temperature or activity within 2 weeks, reapply FIPFORCE Dust. Seal holes in trees with a suitable caulking compound after dusting.
Termite activity when nest cannot be located. eg active workings in timber, bait boxes and bait stations	<i>Mastotermes</i> spp.	1-3 g per 100 mL of termites	Dust as many termites as possible, minimising the amount of stress and disturbance to workers. Aim to apply a light covering of dust over termites. Do not pile up dust in areas where termites are active. Treat continuous infestations at approximately one-metre intervals through small entry points using the fine tip of a puffer. Seal treatment holes with tape after application. Concentrate treatment in infested timbers and wall cavities, avoiding damage to mud shelter tubes connecting exterior nest or colony to interior workings. If workings cannot be treated directly then apply dust carefully to shelter tubes. AVOID excessive damage to tubes. Treatment of shelter tubes should be considered a last resort since damage to the tubes may detrimentally affect the level of termite control. Monitor termite activity after treatment. Re-apply if termite activity is evident 4 weeks after first treatment.

SITUATION	PEST	RATE	CRITICAL COMMENTS
<p>Domestic, industrial and institutional premises</p> <p>Food preparation and storage areas</p>	Cockroaches	0.5 g – 1 g/m <sup>2</sup> applied with a hand duster	<p>Prior to applying Fipforce Dust, a thorough inspection of the premises to be treated should be carried out to establish where the cockroach population is harbouring.</p> <p>Apply dust into cracks and crevices using a hand dust applicator.</p> <p>Particular attention should be given to areas where insects congregate such as warm, dark areas and around heat sources such as stoves, radiators, fireplaces, etc.</p>
<p>Nuisance ant activity</p> <p><b>External use:</b> areas of premises and surrounding structures such as retaining walls, fences and garden beds</p> <p><b>Internal use:</b> areas where ants are nesting or congregating in cracks and crevices such as electrical areas, wall cavities and other voids</p>	Nuisance ants	0.5 g per ant colony	<p>Using a hand held puffer, aim to apply a light covering of dust over as many ants as possible (approximately 20) at the entrance to the nest, in cracks and crevices and in other known harbourages. The product can also be applied internally to areas where ants are nesting or congregating in cracks and crevices such as electrical areas, wall cavities and other voids.</p> <p>Enclose the treated area with caulking compound or seal treatment holes with tape. Only re-treat after 30 days if ant activity continues to be a problem.</p> <p>Fipforce Dust will control ants that have been directly treated and others that come in contact with the treated ants. For longer term protection from future nuisance ant invasion, an external application of a residual liquid such as Fipforce Aqua Termiticide &amp; Insecticide is recommended.</p> <p>Immediately clean up any product, following treatment, that is not within the treated cracks, crevices, harbourages or treatment holes.</p>

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**